


# SCREWDRIVERS, NUTDRIVERS, HEX KEYS & BITS

Introducing an entirely new range of screwdrivers and power bits. Featuring tri-material handles and wrench bolsters on the larger sizes, the Blackhawk™ by Proto® screwdriver line now includes more sizes and fastener types than ever before, including a seven bit ratcheting screwdriver with straight and pistol grips. Screwdriver tips feature grit blasted contact points to reduce chrome peel and provide tighter contact with the fastener head. Our power insert bits now come in convenient sets for bulk and job specific use.





**22 PIECE COMBINATION SCREWDRIVER SET**

**Item #: ST-22CS**

• Weight (lbs): 4.36



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-1008SB	3/8	8	12-1/2
ST-12010SB	1/2	10	14-1/2
ST-252C	3/32	1-59/64	5-13/16
ST-303S	1/8	2-7/8	6-3/4
ST-353C	9/64	3	7
ST-404S	5/32	3-31/64	7-7/8
ST-555C	3/16	4-7/8	6
ST-555S	7/32	5	9-1/8
ST-655S	1/4	4-57/64	9-1/2
ST-656C	1/4	6	10-1/2
ST-656SB	1/4	6	10-1/2
ST-65SH	1/4	1-1/4	3-1/2
ST-807S	5/16	6-61/64	11-1/2
ST-PH00-2	#00	1-15/16	5-13/16
ST-PH0-3	#0	2-15/16	7
ST-PH1-4	#1	7-59/64	8
ST-PH1-SH	#1	1-1/8	3-1/2
ST-PH2-5	#2	4-57/64	9
ST-PH2-5B	#2	5	9
ST-PH2-SH	#2	1-9/64	3-1/2
ST-PH3-6B	#3	6	10-1/2
ST-PH4-8B	#4	8	12-1/2

**9 PIECE COMBINATION SCREWDRIVER SET**

**Item #: ST-9CS**

• Weight (lbs): 2.86



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-1008SB	3/8	8	12-1/2
ST-12010SB	1/2	10	14-1/2
ST-353C	9/64	3	7
ST-555S	7/32	5	9-1/8
ST-656C	1/4	6	10-1/2
ST-656SB	1/4	6	10-1/2
ST-PH2-5B	#2	5	9
ST-PH3-6B	#3	6	10-1/2
ST-PH4-8B	#4	8	12-1/2



## 9 PIECE SLOTTED SCREWDRIVER SET

### Item #: ST-9S

• Weight (lbs): 2.26



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-1008SB	3/8	8	12-1/2
ST-12010SB	1/2	10	14-1/2
ST-303S	1/8	2-7/8	6-3/4
ST-404S	5/32	3-31/64	7-7/8
ST-555S	7/32	5	9-1/8
ST-655S	1/4	4-57/64	9-1/2
ST-656SB	1/4	6	10-1/2
ST-65SH	1/4	1-1/4	3-1/2
ST-807S	5/16	6-61/64	11-1/2

## 9 PIECE PHILLIPS® SCREWDRIVER SET

### Item #: ST-9PH

• Weight (lbs): 1.67



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-PH00-2	#00	1-15/16	5-13/16
ST-PH0-3	#0	2-15/16	7
ST-PH1-4	#1	7-59/64	8
ST-PH1-SH	#1	1-1/8	3-1/2
ST-PH2-5	#2	4-57/64	9
ST-PH2-5B	#2	5	9
ST-PH2-SH	#2	1-9/64	3-1/2
ST-PH3-6B	#3	6	10-1/2
ST-PH4-8B	#4	8	12-1/2

## 5 PIECE CABINET TIP SCREWDRIVER SET

### Item #: ST-5C

• Weight (lbs): 0.52



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-252C	3/32	1-59/64	5-13/16
ST-353C	9/64	3	7
ST-555C	3/16	4-7/8	6
ST-656C	1/4	6	10-1/2
ST-65SH	1/4	1-1/4	3-1/2

## 6 PIECE POZIDRIV® SET

### Item #: ST-6PZ

• Weight (lbs): 1.47



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-PZ0-3	PZ0	2-57/64	6-7/8
ST-PZ1-4	PZ1	3-53/64	8
ST-PZ2-5	PZ2	4-57/64	9
ST-PZ2-5B	PZ2	4-31/32	9-1/8
ST-PZ3-6B	PZ3	5-29/32	10-1/2
ST-PZ4-8B	PZ4	7-13/16	12-3/8



## 11 PIECE TORX® SCREWDRIVER SET

Item #: ST-11T

• Weight (lbs): 1.22



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-T10-3	T10	2-7/8	7
ST-T15-3	T15	2-59/64	7
ST-T20-4	T20	3-7/8	7-13/16
ST-T25-4	T25	3-55/64	8
ST-T27-4	T27	3-57/64	8
ST-T30-5	T30	4-57/64	9-1/2
ST-T40-5	T40	4-29/32	9-1/2
ST-T6-2	T6	1-15/16	5-13/16
ST-T7-2	T7	1-61/64	5-13/16
ST-T8-2	T8	1-29/32	5-13/16
ST-T9-3	T9	2-59/64	6-1/2

## 7 PIECE TAMPER RESISTANT TORX® SCREWDRIVER SET

Item #: ST-7TT

• Weight (lbs): 1.06



Contents	Tip Size	Shank Length (in)	Overall Length (in)
ST-TT10-3	TT10	2-57/64	7
ST-TT15-3	TT15	2-59/64	7
ST-TT20-4	TT20	3-7/8	8
ST-TT25-4	TT25	3-57/64	8
ST-TT27-4	TT27	3-29/32	8
ST-TT30-5	TT30	4-57/64	9-1/2
ST-TT40-5	TT40	4-3/32	9-1/2

## SLOTTED SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Slotted	1/8	1/8	2-7/8	6-3/4	0.04	ST-303S
Slotted	5/32	5/32	3-31/64	7-7/8	0.09	ST-404S
Slotted	7/32	7/32	5	9-1/8	0.15	ST-555S
Slotted	1/4	1/4	4-57/64	9-1/2	0.23	ST-655S
Slotted	5/16	5/16	6-61/64	11-1/2	0.35	ST-807S
Slotted*	1/4	1/4	6	10-1/2	0.26	ST-656SB
Slotted*	3/8	3/8	8	12-1/2	0.46	ST-1008SB
Slotted*	1/2	1/2	10	14-1/2	0.59	ST-12010SB

ASME B107.600

\*Feature Hex Bolsters

## SLOTTED - CABINET TIP SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Cabinet	3/32	3/32	1-59/64	5-13/16	0.04	ST-252C
Cabinet	9/64	9/64	3	7	0.07	ST-353C
Cabinet	3/16	3/16	4-7/8	6	0.16	ST-555C
Cabinet	1/4	1/4	6	10-1/2	0.26	ST-656C

ASME B107.600

**Blackhawk**  
BY PROTO

Blackhawk™ by Proto® not available in all countries.

SCREWDRIVERS & BITS

SCREWDRIVERS



## PHILLIPS® SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Phillips®	#00	3/32	1-15/16	5-13/16	0.04	ST-PH00-2
Phillips®	#0	9/64	2-15/16	7	0.09	ST-PH0-3
Phillips®	#1	5/32	7-59/64	8	0.13	ST-PH1-4
Phillips®	#2	13/64	4-57/64	9	0.17	ST-PH2-5
Phillips®*	#2	13/64	5	9	0.19	ST-PH2-5B
Phillips®*	#3	1/4	6	10-1/2	0.35	ST-PH3-6B
Phillips®*	#4	21/64	8	12-1/2	0.53	ST-PH4-8B

ASME B107.600

\*Feature Hex Bolsters

## POZIDRIV® SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Pozidriv®	PZ0	1/8	2-57/64	6-7/8	0.09	ST-PZ0-3
Pozidriv®	PZ1	9/64	3-53/64	8	0.13	ST-PZ1-4
Pozidriv®	PZ2	3/16	4-57/64	9	0.17	ST-PZ2-5
Pozidriv®*	PZ2	3/16	4-31/32	9-1/8	0.19	ST-PZ2-5B
Pozidriv®*	PZ3	1/4	5-29/32	10-1/2	0.36	ST-PZ3-6B
Pozidriv®*	PZ4	21/64	7-13/16	12-3/8	0.53	ST-PZ4-8B

ASME B107.600

\*Feature Hex Bolsters

## TORX® SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Torx®	T6	1/16	1-15/16	5-13/16	0.04	ST-T6-2
Torx®	T7	5/64	1-61/64	5-13/16	0.04	ST-T7-2
Torx®	T8	5/64	1-29/32	5-13/16	0.04	ST-T8-2
Torx®	T9	5/64	2-59/64	6-1/2	0.04	ST-T9-3
Torx®	T10	3/32	2-7/8	7	0.07	ST-T10-3
Torx®	T15	7/64	2-59/64	7	0.07	ST-T15-3
Torx®	T20	9/64	3-7/8	7-13/16	0.09	ST-T20-4
Torx®	T25	5/32	3-55/64	8	0.14	ST-T25-4
Torx®	T27	11/64	3-57/64	8	0.15	ST-T27-4
Torx®	T30	3/16	4-57/64	9-1/2	0.24	ST-T30-5
Torx®	T40	15/64	4-29/32	9-1/2	0.28	ST-T40-5

ASME B107.600

## TAMPER RESISTANT TORX® SCREWDRIVERS



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Tamper Torx®	TT10	3/32	2-57/64	7	0.07	ST-TT10-3
Tamper Torx®	TT15	7/64	2-59/64	7	0.08	ST-TT15-3
Tamper Torx®	TT20	9/64	3-7/8	8	0.1	ST-TT20-4
Tamper Torx®	TT25	5/32	3-57/64	8	0.14	ST-TT25-4
Tamper Torx®	TT27	11/64	3-29/32	8	0.15	ST-TT27-4
Tamper Torx®	TT30	3/16	4-57/64	9-1/2	0.25	ST-TT30-5
Tamper Torx®	TT40	15/64	4-3/32	9-1/2	0.28	ST-TT40-5

ASME B107.600

Phillips® is trademark of Phillips Screw Company  
 Pozidriv® is trademark of Phillips Screw Company  
 Torx® is a trademark of Acument Intellectual Properties, LLC.

1-800-800-TOOL • FAX: 1-770-648-9108 • WWW.STANLEYPROTO.COM



WARNING: WORK SAFELY WITH TOOLS, WEAR SAFETY GOGGLES



225

SCREWDRIVERS

**STUBBY SCREWDRIVERS**



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Slotted	1/4	1/4	1-1/4	3-1/2	0.09	ST-65SH
Phillips®	#1	5/32	1-1/8	3-1/2	0.08	ST-PH1-SH
Phillips®	#2	3/16	1-9/64	3-1/2	0.09	ST-PH2-SH

ASME B107.600

**1/4" DRIVE SOCKET SPINNER**



Tips	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Ball Lock	1/4	1-31/32	6-1/8	0.15	ST-SS1

**BIT DRIVER**

- Accepts 1/4" standard bits



Tips	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
	25/64	4-59/64	9	0.22	ST-BD1

**OFFSET SCREWDRIVERS**



Tips	Tip Size	Tip Width (in)	Shank Length (in)	Overall Length (in)	Weight (lbs)	Item No.
Slotted	0.038	15/64	2-37/64	2-61/64	0.03	ST-1183
Slotted	0.046	5/16	3-45/64	3-57/64	0.04	ST-1184
Slotted	0.049	13/32	4-3/32	4-5/8	0.08	ST-1185

**SCREW STARTERS**



Tips	Tip Width (in)	Overall Length (in)	Weight (lbs)	Item No.
Slotted	9/32	2-1/2	0.02	ST-1166
Slotted	9/32	5-1/2	0.04	ST-1167
Slotted	9/32	9-1/2	0.06	ST-1168
Phillips®	9/32	5-3/4	0.04	ST-1171



## 8 PIECE STANDARD NUTDRIVER INCH SET - 6 POINT

Item #: **ST-828**

• Weight (lbs): 2.0



Contents	Size (in)	Shank Length (in)	Overall Length (in)
ST-800	3/16	3-11/64	7-3/8
ST-801	9/32	3-13/64	7-3/8
ST-803	1/4	3-3/16	7-3/8
ST-806	5/16	3-5/32	7-3/8
ST-809	11/32	3-3/16	7-3/8
ST-812	3/8	3-13/64	7-3/8
ST-815	7/16	3-5/32	7-3/8
ST-818	1/2	3-11/64	7-3/8

## 9 PIECE METRIC NUTDRIVER SET - 6 POINT

Item #: **ST-829M**

• Weight (lbs): 2.22



Contents	Size (mm)	Shank Length (in)	Overall Length (in)
ST-904M	4 mm	3-5/32	7-3/8
ST-905M	5 mm	3-9/64	7-3/8
ST-955M	5.5 mm	3-9/64	7-3/8
ST-907M	7 mm	3-11/64	7-3/8
ST-908M	8 mm	3-11/64	7-3/8
ST-909M	9 mm	3-5/32	7-3/8
ST-910M	10 mm	3-3/16	7-3/8
ST-911M	11 mm	3-5/32	7-3/8
ST-912M	12 mm	3-5/32	7-3/8

## STANDARD NUTDRIVERS

• Solid shaft



Size (in)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
3/16	11/32	7-3/8	0.26	ST-800
9/32	27/64	7-3/8	0.25	ST-801
1/4	25/64	7-3/8	0.25	ST-803
5/16	15/32	7-3/8	0.26	ST-806
11/32	1/2	7-3/8	0.26	ST-809
3/8	17/32	7-3/8	0.31	ST-812
7/16	19/32	7-3/8	0.31	ST-815
1/2	43/64	7-3/8	0.31	ST-818

ASME B107.12

## METRIC NUTDRIVERS

• Solid shaft



Size (mm)	Working End Diameter (in)	Overall Length (in)	Weight (lbs)	Item No.
4 mm	5/16	7-3/8	0.25	ST-904M
5 mm	11/32	7-3/8	0.25	ST-905M
5.5 mm	11/32	7-3/8	0.24	ST-955M
7 mm	27/64	7-3/8	0.25	ST-907M
8 mm	15/32	7-3/8	0.26	ST-908M
9 mm	1/2	7-3/8	0.25	ST-909M
10 mm	35/64	7-3/8	0.3	ST-910M
11 mm	19/32	7-3/8	0.31	ST-911M
12 mm	5/8	7-3/8	0.31	ST-912M

NUTDRIVERS



**13 PIECE STANDARD HEX WRENCH SET**

**Item #: ZW-53**

• Weight (lbs): 0.62



Size (in)	Short Arm (in)	Long Arm (in)
.050	0.5	1.6
1/16	0.6	1.7
5/64	0.6	1.8
3/32	0.6	2.0
7/64	0.7	2.1
1/8	0.7	2.2
9/64	0.8	2.4
5/32	0.8	2.5
3/16	0.9	2.7
7/32	1.0	2.9
1/4	1.1	3.2
5/16	1.2	3.6
3/8	1.3	4.1

**13 PIECE STANDARD LONG HEX KEY WRENCH SET**

**Item #: ZW-59**

• Weight (lbs): 0.86



Size (in)	Short Arm (in)	Long Arm (in)
.050	0.6	2.8
1/16	0.6	3.0
5/64	0.6	3.0
3/32	0.7	3.4
7/64	0.7	3.5
1/8	0.7	3.7
9/64	0.8	3.9
5/32	0.8	4.1
3/16	0.9	4.5
7/32	1.0	4.8
1/4	1.1	5.2
5/16	1.2	5.8
3/8	1.4	6.6

**9 PIECE METRIC HEX KEY WRENCH SET**

**Item #: ZW-69**


• Weight (lbs): 0.53



Size (mm)	Short Arm (mm)	Long Arm (mm)
1.5	13.1	43.1
2.0	14.8	47.8
2.5	17.1	53.1
3.0	18.5	60.8
4.0	23.4	66.6
5.0	27.3	76.2
6.0	30.9	87.0
8.0	34.5	95.9
10.0	37.5	105.4







## MULTI-BIT RATCHETING SCREWDRIVER

### Item #: 9000R-2

- 72 tooth reverse ratcheting mechanism. Magnetic bit holder. Pivoting handle allows straight or pistol grip. Bit storage in handle for 6 additional insert bits (included).
- Bits Included: PH1, PH2, PZ1, PZ2, 5/32, 7/32, 1/4

Shank Length (in)	Overall Length (in)	Weight (lbs)
5-1/32	9	0.78



## 360 PIECE INSERT BIT SET

### Item #: BI-360S

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 5.09



Contents	Piece Count
PH1~3	60
PZ1~3	60
Hex 4, 5, 6	60
FD4, 5.5, 6.5	60
Torx® 10, 15, 20, 25, 30, 40	120

## 180 PIECE INSERT BIT SET

### Item #: BI-180S

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 3.08



Contents	Piece Count
PH1~3	30
PZ1~3	30
Hex 4, 5, 6	30
FD4, 5.5, 6.5	30
Torx® 10, 15, 20, 25, 30, 40	60



### 6 PIECE MAGNETIC NUTSETTER SET - SAE

**Item #: BI-NS6**

- Magnetic fractional nutsetter containing sizes 5/16 through 3/8.
- Weight (lbs): 0.67



Contents	Piece Count
5/16, 1/2, 1/4, 7/16, 7/32, 3/8	6

### 6 PIECE MAGNETIC NUTSETTER SET - METRIC

**Item #: BI-NS6M**

- Magnetic metric nutsetter containing sizes 5.5 through 13mm.
- Weight (lbs): 0.70



Contents	Piece Count
5.5, 6, 8, 10, 12, 13	6

### 101 PIECE INSERT BIT SET

**Item #: BI-101S**

- Bulk Insert bit set providing the most popular sizes in high quantities.
- Weight (lbs): 2.38



Contents	Piece Count
PH0~4	5
Slotted 1/8, 5/32, 3/16, 7/32, 1/4, 9/32	6
Clutch 5/32, 3/16, 1/4	3
PZ 0~4	5
Sit 10~40	6
Spline 5, 6, 8	3
TX6, 8, 10, 15, 20, 25, 27, 30, 40, 45	10
RB0~3	4
TT6, 8, 10, 15, 20, 25, 27, 30, 40, 45	10
Spanner 4, 6, 8, 10	4
Hex 1.5, 2, 2.5, 3, 4, 5, 6	7
HT 1.5, 2, 2.5, 3, 4, 5, 6	7
Torx® Plus 10, 15, 20, 25, 27, 30, 40	7
Torx® Plus Tamper 10, 15, 20, 25, 27, 30, 40	7
T-tap 10, 15, 20, 25, 30	5
Tri-wing 1, 2, 3, 4, 5	5
Torq-Set 4, 6, 8, 10	4
Quick-Release Socket 1/4 x 1/4 x 30mm	1
Quick-Release Bit Holder 1/4 x 51mm	1
Magnetic Bit Holder 1/4 x 75mm	1



## 10 PIECE INSERT BIT SET

### Item #: BI-10SS

- Portable bit set with plastic carrier.
- Weight (lbs): 0.27



Contents	Piece Count
PH1~3	30
PZ1~3	30
Slotted 4, 5.5, 6.5	30
Quick-Release Bit Holder 1/4 x 51mm	1

## 25 PIECE BELT CLIP BIT SET

### Item #: BI-25S

- Portable bit set with plastic carrier and belt clip.
- Weight (lbs): 0.44



Contents	Piece Count
PH1~3	3
PZ1~3	3
RB1~3	3
Slotted 4.5, 5.5, 6.5	3
Torx® 10, 15, 20, 25, 30, 40	6
Hex 1.5, 2, 2.5, 3, 4, 5, 6	7

## 11 PIECE TORX® BIT SET

### Item #: BI-11TS

- Portable bit set with plastic carrier.
- Weight (lbs): 0.31



Contents	Piece Count
Torx® Plus 8, 9, 10, 15, 20, 25, 27, 30, 40	9
Magnetic Bit Socket 1/4 x 1/4 x 25mm	1
Quick-Release Bit Holder 1/4 x 51mm	1

## 31 PIECE INSERT BIT SET

### Item #: BI-31S

- Portable bit set with plastic carrier and belt clip.
- Weight (lbs): 0.57



Contents	Piece Count
PH1~3	3
PZ1~3	3
Torx® 6, 8, 10, 15, 20, 25, 27, 30, 40	9
Slotted 3.5, 4.5, 5, 5.5, 6.5, 8	6
Hex 2, 3, 4, 5, 6, 8	6
RB1~3	3
Quick-Release Bit Holder 1/4 x 60mm	1



## 40 PIECE INSERT BIT SET

Item #: 940-JS

• Weight (lbs): 2.0



Contents	Description
9000-A	Adapter Socket
900-20	# 0 Point Phillips®
900-21	# 1 Point Phillips®
900-22	# 2 Point Phillips®
900-23	# 3 Point Phillips®
900-51	Phillips® ARC, #1
900-52	Phillips® ARC, #2
900-53	Phillips® ARC, #3
900-0	Slotted 7/64"
900-5	Slotted 7/32"
900-1	Slotted 1/8"
900-2	Slotted 9/64"
900-8	Slotted 5/16"
900-3	Slotted 5/32"
900-4	Slotted 3/16"
900-6	Slotted 1/4"
900-7	Slotted 9/32"
900-30	Square Head, #0
900-31	Square Head, #1
900-32	Square Head, #2
900-33	Square Head, #3
900-40	Reed Prince #0 (Pozi)
900-41	Reed Prince #1 (Pozi)
900-42	Reed Prince #2 (Pozi)
900-43	Reed Prince #3 (Pozi)
900-60	Hex Bit, 5/64"
900-61	Hex Bit, 1/8"
900-62	Hex Bit, 5/32"
900-63	Hex Bit, 3/16"
900-64	Hex Bit, 1/4"
9000-T6	Torx® Bit T6
9000-T7	Torx® Bit T7
9000-T8	Torx® Bit T8
9000-T10	Torx® Bit T10
9000-T15	Torx® Bit T15
9000-T20	Torx® Bit T20
9000-T25	Torx® Bit T25
9000-T27	Torx® Bit T27
9000-T30	Torx® Bit T30
9000-T40	Torx® Bit T40

## INSERT BITS



Description	Weight (lbs)	Item No.
Adapter Socket	0.01	9000-A
# 0 Point Phillips®	0.01	900-20
# 1 Point Phillips®	0.01	900-21
# 2 Point Phillips®	0.01	900-22
# 3 Point Phillips®	0.01	900-23
Phillips® ARC, #1	0.01	900-51
Phillips® ARC, #2	0.01	900-52
Phillips® ARC, #3	0.01	900-53
Slotted 7/64"	0.01	900-0
Slotted 7/32"	0.01	900-5
Slotted 1/8"	0.01	900-1
Slotted 9/64"	0.01	900-2
Slotted 5/16"	0.01	900-8
Slotted 5/32"	0.01	900-3
Slotted 3/16"	0.01	900-4
Slotted 1/4"	0.01	900-6
Slotted 9/32"	0.01	900-7
Square Head, #0	0.01	900-30
Square Head, #1	0.01	900-31
Square Head, #2	0.01	900-32
Square Head, #3	0.01	900-33
Reed Prince #0 (Pozi)	0.01	900-40
Reed Prince #1 (Pozi)	0.01	900-41
Reed Prince #2 (Pozi)	0.01	900-42
Reed Prince #3 (Pozi)	0.01	900-43
Tamper Resistant T10	0.01	9000-TP10
Tamper Resistant T15	0.01	9000-TP15
Tamper Resistant T20	0.01	9000-TP20
Tamper Resistant T25	0.01	9000-TP25
Tamper Resistant T27	0.01	9000-TP27
Hex Bit, 5/64"	0.01	900-60
Hex Bit, 1/8"	0.01	900-61
Hex Bit, 5/32"	0.01	900-62
Hex Bit, 3/16"	0.01	900-63
Hex Bit, 1/4"	0.01	900-64
Torx® Bit T6	0.01	9000-T6
Torx® Bit T7	0.01	9000-T7
Torx® Bit T8	0.01	9000-T8
Torx® Bit T10	0.01	9000-T10
Torx® Bit T15	0.01	9000-T15
Torx® Bit T20	0.01	9000-T20
Torx® Bit T25	0.01	9000-T25
Torx® Bit T27	0.01	9000-T27
Torx® Bit T30	0.01	9000-T30
Torx® Bit T40	0.01	9000-T40
3/8" Hex Bit Holder	0.01	9000HB

**Blackhawk**  
BY PROTO

Phillips® is trademark of Phillips Screw Company  
Torx® is a trademark of Acument Intellectual Properties, LLC.

Blackhawk™ by Proto® not available in all countries.

